
The Problem: We are under attack!

- DISA estimates that there are 250,000 attacks on DoD computer systems every year
- Computer attacks against US systems are up 22% from 1996 to 1997, according to a survey by the Computer Security Institute and the FBI



Information Survivability Background

DoD depends on information technology for information dominance, but

DoD systems are increasingly vulnerable to attack because:

 They are increasingly connected to one another and to civilian networks using Internet technology

Vulnerabilities in this technology or in any connected system can be exploited by anyone in the world to penetrate and corrupt DoD systems

There is increased use of COTS products

Commercial security is not designed nor intended to withstand the IW attacks of concern to DoD

 DoD depends on commercial infrastructures such as the phone system


These are vulnerable

DoD's past approaches did not succeed

Long-Term Strategy

- Strong Barriers to Penetration
 - Hardened networks and software
- Intrusion Detection
 - Local capability
- Information Assurance Architecture
 - Integrate technologies into systems solutions
- Strategic Intrusion Assessment
 - Distinguish national scale attacks
- Intrusion Tolerant Systems (partially)
 - Maximize the residual capability


Roadmap



Barriers to Attack: Investment Strategy




Balanced Protection



Protecting the Communications Infrastructure





Securing Names and Addresses



Using Wrappers to Harden Software Components








Plug-in wrapper functions:

- Monitoring and management
- Filtering, signatures, encryption, access control
- Replication for fault tolerance

Automated wrapper generation

- Toolbox of survivability modules
- Tools for evaluating the strength of components



Toolkit of plug-and-play wrapper modules

Meshing Prevention and Detection



Prevention Detection Attacks

Prevent What You Can


- Firewalls
- End-system security services
- Know where holes are

Detect Residue

- Intrusion detection attack signatures
- Detect suspicious/unusual activity
- Auto-respond eventually

Intrusion Detection and Response






Constituent Technologies



- IDIP, Intrusion Detection and Isolation Protocol
- SNS, a filtering router (Boeing)
 - Allows/Blocks datagrams based on source and destination host and service (i.e., FTP, Telnet, HTTP, etc.) requested.
- MIDS, an intrusion detection system (UC Davis)
 - Examines the network for unusual/unexpected actions (e.g., datagrams, connections, file names, or user names).
- FWTK, an application layer firewall (TIS)
 - Allows/Blocks connections based on source and destination host and service (i.e., FTP, Telnet, HTTP, etc.) requested
- DC, a prototype Intrusion Discovery Coordinator (Boeing)
 - Collects & displays trace requests / audits from IDIP participants.


Putting it All Together: Extended ISO Reference Architecture





Architecture & Testbed Schedule





Near-term ITO insertion:

- DTE access control and policy specification tools
- Continuous Kerberos v6
- Secure DNS
- Authenticated OSPF
- Robust Flick IDL compiler
- Instrumenting net tool
- Adage authorization server
- Third party key escrow procedure and key release policy language

Long term ITO insertion:

- Secure Access Wrappers for DB, OS, Java
- Traffic analysis countermeasures
- Key release policy engine
- Trustworthy OS technology
- Trustworthy compilers
- Analysis tools to recognize anomalies, attack patterns and vulnerabilities

Recent Accomplishments

Evaluation Testbed for Intrusion Detection Research Prototypes

AFRL and MIT/LL are developing a realistic simulation network where intrusion detection prototypes will be evaluated using real attacks mixed with normal network traffic for the first rigorous, objective, and repeatable evaluation of competing approaches. False alarm rates and probability of detection for existing and new attacks will be measured

Specification of Common Intrusion Detection Framework (CIDF) Published

The CIDF framework will allow a variety of network components to work together to detect and respond to network intrusions. The CIDF standardization timetable calls for a revised draft of the specification to be submitted to the Internet Engineering Steering Group (IESG) in December 1998

• StackGuard Compiler Prevents Buffer-Overflow Attacks

Programs compiled with StackGuard, developed at OGI, are are not vulnerable to buffer overflow attacks. No source code changes are required, and executables are binary-compatible with existing operating systems and libraries

Demonstration of Generic Software Wrappers for Protecting COTS Systems

TIS has developed a wrapper specification language and a UNIX kernel-resident wrapper prototype system structured for migration to the Sun Solaris or NT COE platform. The prototype intercepts all system calls and controls both privileged and non-privileged programs. TIS demonstrated wrappers that control administrative privileges, add access control, and provide encryption

Successful Demonstration of Intruder Detection and Isolation Protocol (IDIP)

IDIP allows cooperative exchange of information about intrusions by network components using in order to isolate and cut off attacks. Boeing's concept demonstration successfully detected and isolated 10 attacks on the demonstration environment

What Will the Products of the Current Program Be?

- Prototype implementations of components
 - Barriers to Penetration
 - OS & Router Software; Wrapper Generation Toolkits
 - Intrusion Detection and Response
 - Intrusion Detection Algorithms & Software,
 Intrusion Detection / Isolation Protocol, Alertable Firewalls
- Extensions to AITS (DARPA-DISA) reference architecture
- Testbed of extended architecture
 - Incorporating component outputs
 - Red Team exercises and analysis of results

When Will We Get Them?

•	Prototype	Component	Implementations
---	-----------	-----------	------------------------

- Intrusion Detection and Response
 FY 99
- Extended Architecture
 FY 98
- Testbed FY 99 00
- Transfer to ACTDs
 FY 01
- DoD Impact (first generation)
 FY 02 04
- Inherent Survivability
 FY 00 04

Transition of Current IS Program Assets

Survivability of Large-Scale Systems	
 detection of intrusions/suspicious events 	Transition to ISO
 reactive infrastructure elements (e.g., firewalls) 	Transition to ISO
 damaged systems redirect resources 	SAFER
artificial diversity	Continue
common intrusion detection framework	Commercialization
High Confidence Networking	
 protection for current network technologies 	Commercialization & DISA
 security for active nets and NGI 	NGI, Active Nets
Wrappers and Composition	
 barriers to attack for legacy systems 	Transition to ISO
assessment of security	Declare victory
High Confidence Computing	
 security for next-generation OS 	Quorum
fault tolerance and real time OS	Transition to SC-21
 policy-neutral access control 	Transition to ISO

The Problem: We are under attack!

- DISA estimates that there are 250,000 attacks on DoD computer systems every year
- Computer attacks against US systems are up 22% from 1996 to 1997, according to a survey by the Computer Security Institute and the FBI
- Many successful attacks are not detected
 - Intruder makes surreptitious use of penetrated system
 - Intruder performs intelligence gathering/theft of data
 - Intruder plants malicious code, perhaps for future use
 - Intruder may alter data
- Our critical systems need to provide continuous correct operation in situations in which they are successfully attacked

Long-Term Strategy

- Strong Barriers to Penetration
 - Hardened networks and software
- Intrusion Detection
 - Local capability
- Information Assurance Architecture
 - Integrate technologies into systems solutions
- Strategic Intrusion Assessment
 - Distinguish national scale attacks
- Intrusion Tolerant Systems (partially)
 - Maximize the residual capability